



Standart 20'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 5.900 m | 2.350 m | 2.393 m | 2.342 m | 2.280 m | 33.2 Cu.m | 2,230 Kqs | 21,770 Kqs |



Standart 40'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 12.036 m | 2.350 m | 2.392 m | 2.340 m | 2.280 m | 67.7 Cu.m | 3,700 Kqs | 26,780 Kqs |



Upgraded 20'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|------------|-------------|------------|
| 5.900 m | 2.311 m | 2.390 m | 2.286 m | 2.280 m | 32.63 Cu.m | 2,300 Kqs | 28,180 Kqs |



High Cube 40'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 12.036 m | 2.350 m | 2.697 m | 2.338 m | 2.585 m | 76.3 Cu.m | 3,970 Kqs | 26,510 Kqs |



Reefer 20'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 5.425 m | 2.275 m | 2.260 m | 2.258 m | 2.216 m | 28.3 Cu.m | 3,200 Kqs | 20,800 Kqs |




Reefer 40'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 11.493 m | 2.270 m | 2.197 m | 2.282 m | 2.155 m | 57.8 Cu.m | 4,900 Kqs | 25,580 Kqs |




Reefer 40' High Cube

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 11.557 m | 2.294 m | 2.500 m | 2.294 m | 2.440 m | 66.6 Cu.m | 4,500 Kqs | 25,980 Kqs |



Open Top 20' (Upgraded also available)

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|------------|-------------|------------|
| 5.894 m | 2.311 m | 2.354 m | 2.286 m | 2.184 m | 32.23 Cu.m | 2,400 Kqs | 21,600 Kqs |



Open Top 40'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|-----------|-------------|------------|
| 12.028 m | 2.350 m | 2.345 m | 2.341 m | 2.274 m | 65.5 Cu.m | 3,850 Kqs | 26,630 Kqs |



Flat Rack 20'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|----------|-------------|------------|
| 5.620 m | 2.200 m | 2.233 m | - m | - m | - Cu.m | 2,530 Kgs | 21,470 Kgs |



Flat Rack 40'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|----------|-------------|------------|
| 12.080 m | 2.438 m | 2.103 m | - m | - m | - Cu.m | 5,480 Kgs | 39,000 Kgs |




Flat Rack Collapsible 20'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|----------|-------------|------------|
| 5.618 m | 2.208 m | 2.233 m | - m | - m | - Cu.m | 2,750 Kgs | 27,730 Kgs |



Flat Rack Collapsible 40' (Stak Bed)

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|----------|-------------|------------|
| 12.080 m | 2.126 m | 2.043 m | - m | - m | - Cu.m | 5,800 Kgs | 39,000 Kgs |




Platform 20'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|----------|-------------|------------|
| 6.058 m | 2.438 m | 2.233 m | - m | - m | - Cu.m | 2,750 Kgs | 24,000 Kgs |




Platform 40'

| INSIDE LENGHT | INSIDE WIDTH | INSIDE HEIGHT | DOOR WIDTH | DOOR HEIGHT | CAPACITY | TARE WEIGHT | MAXI CARGO |
|---------------|--------------|---------------|------------|-------------|----------|-------------|------------|
| 12.18 m | 2.40 m | 1.95 m | - m | - m | - Cu.m | 5,800 Kgs | 39,200 Kgs |




Chassis 33' Tri-Axle

| LENGHT | TARE WEIGHT | MAXI CARGO |
|---------------------------|-------------|------------|
| Lunghezza massima 12,60 m | 4.950 Kg. | 20.185 Kg. |



Chassis 40' Gooseneck

| LENGHT | TARE WEIGHT | MAXI CARGO |
|---------------------------|-------------|------------|
| Lunghezza massima 12,20 m | 2.950 Kg. | 20.185 Kg. |



Chassis 23,5'

| LENGHT | TARE WEIGHT | MAXI CARGO |
|------------------------------------|-------------|------------|
| Lunghezza massima non eseso 7,20 m | 2.995 Kg. | 16.100 Kg. |
| Lunghezza massima esteso 8,30 m | 2.995 Kg. | 17.920 Kg. |